







**Duraplas Industries Pty Ltd have been supplying the Australian market with premium quality polyethylene storage tanks for 40+ years** and we are excited to introduce to the Australian market the all-new Truck Tanks™ range of polyethylene water cartage tanks. A deal second to none is waiting you. All Truck Tanks™ are covered by a **5-year commercial warranty** but are designed for a **20-year life span**.

**The exciting new range of Truck Tanks™ and galvanised support frames are fully engineered and comply with all current Australian load restraint rules.** This compliance is unique and the new Truck Tank™ range is designed to handle rigorous off road and highway conditions year in, year out.

**The standard range of TruckTanks™ (5,000 Litre – 15,000 Litres)** are designed to transport liquids with an S.G of 1.0 and will handle liquids with a S.G up to 1.5 S.G. A 'baffle ball system' anti-surge system is also available on request. Duraplas Industries has been supplying the Australian market with premium quality polyethylene storage tanks for 40+ years.

**Choosing between standard and heavy-duty models:** If you are transporting liquids with a specific gravity greater than 1.0 our HD (heavy duty) version brings you peace of mind. Substantially more polyethylene is used in the manufacturing process and HD Truck Tanks™ are engineered to withstand the extra stresses that come with transporting heavier liquids. If you have any specific questions regarding transporting liquids with a SG1.0 – SG2.0 please [contact our experienced team](#) who will be happy to assist.

## **5 Reasons You'll Be Glad You Chose Duraplas TruckTanks™**

- **Your Truck Tank™ is designed and manufactured in Australia by Duraplas Industries Pty Ltd – ‘An Australian, family-owned company with the same owners since 1984.’** This is unique in the tank industry and brings you peace-of-mind. Your Truck Tank™ guarantee is backed by 40+ years' experience and tens of thousands of satisfied Australian and overseas customers.
- **All Truck Tanks™ are covered by a 5-year commercial warranty and are designed for a 20 year life span.**
- **Duraplas Industries Pty Ltd and The Tank Factory are market leaders** and assure you of service and quality second to none.
- **The company is certified to ISO9001:2015 (AS/NZS 9001:2016)**
- **All Truck Tanks™ are engineered to comply with the National Transport Commission & Roads and Traffic Authority NSW Load Restraint Guide** – equivalent to 0.8 G deceleration and 0.5 G sideways acceleration.
- Manufactured using only the highest quality **U.V. stabilised polyethylene**, made to withstand harsh Australian conditions and rotationally moulded in one piece using state-of-the-art manufacturing methods.
- **Prompt, friendly service** from our experienced team.

## Questions to Ask

-Is the frame being fitted to a flatbed trailer?

(If yes, we need accurate measurements and photos to ensure we manufacture the frame correctly).

-Is the frame going in a tipper truck?

(If yes, we need accurate measurements and photos to ensure we manufacture the frame correctly).

-Is the frame being fitted directly onto the chassis?

(If yes, we will predominantly need the customer to bring their truck to our Alstonville premises, so we can do accurate measurements).

In most cases when the customer requires a Gal frame for the truck tank, they will also require the Mount pin kit.

## Accessories for Truck Tanks

***Inclusive in the price is 1 x 50mm Outlet and Ball Valve or 1 x 75mm Outlet and Ball Valve.***

-If you require an additional 50mm O/L and B/V (\$150) an additional 75mm O/L and B/V .

-Baffle Balls – we strongly recommend baffle balls for standard truck tanks (refer price list)

-Sight level indicator – we strongly recommend .

-Poly lids are inclusive in the price – optional upgrade to stainless hinged lid

-Petrol / Diesel driven transfer pumps – POA (currently there is a delay on diesel pumps).

## Additional Accessories - (Not advertised please contact Head office for pricing)

*Examples of these additional accessories may include:*

-Adjustable spray bar and suction system.

-Galvanised funnel, hydrant and pump top-fill system including air gap and non-return check valve. All complying with water authority regulations.

-Heavy Duty Hose Reel unit fitted to frame.

-Pressure relief venting system.